

% TDSfr of the french style files distribution
% Copyright Bernard Gaulle as in french_doc.txt
%

Where to put the files from the french distribution?
=====

Assuming you download the distrib under \$texmf/source
you have to move many files to various places.
Here are the guidelines there is no way for you to use
the (pseudo-)automatic installation procedure:

If your engine is M^TEX capable, use the ml^TEX tree and place
links in the tex tree.

The hyphenation files:
=====

initex/frhyph.tex should go to \$texmf/tex/generic/hyphen
along with dummyhyph.tex and zerohyph.tex

The documentation files:
=====

Alire.* (to be renamed something like DocFrenchAlire.*)
and doc/* should go to \$texmf/doc/french/base

The configuration files:
=====

.ini, .cfg, .dat should go to \$texmf/(ml)tex/french/config
along with hyconfig.tex, hym^TEX3.tex and ecplain.tex

The french^lE input files:
=====

.sty and .ldf should go to \$texmf/tex/latex/french^lE

The run-time input files:
=====

.ist files (if any) should go to \$texmf/mkindex/french
.bst files (if any) should go to \$texmf/bibtex/french
all other files of inputs/* except .doc, .org and README*
should go to \$texmf/(ml)tex/french/base
language.dat should go there.

The contrib files:
=====

.ist files (if any) should go to \$texmf/mkindex/french or french/contrib
.bst files (if any) should go to \$texmf/bibtex/french or french/contrib
all other files should go to \$texmf/(ml)tex/french/contrib

The executable modules you will generate can go in any place where
===== they can be called simply by there name.

Defaultly, if you have the rights to do it, move them at the
same place where TeX resides.

All other unmoved files:
=====

should stay in the tree \$texmf/source/french

--bg modified 2001/11/29

=====

%%

%% checksum = "02348 64 269 2264"

%%

=====